





TUBI MULTISTRATO FONOISOLANTI IN PPC +
CARICHE RINFORZANTI

TUBO CON UN BICCHIERE HTEM, CON GUARINIZIONE MONOLABBRO



		LUNGHEZZA LENGTH LONGEUR LÄNGE LONGITUD	€ 	
105802W	58	250	7,01	20
105805W	58	500	9,56	24
105810W	58	1000	15,16	12
105820W	58	2000	26,52	12
105830W	58	3000	41,44	12
107802W	78	250	7,56	24
107805W	78	500	10,96	16
107810W	78	1000	17,86	16
107815W	78	1500	28,35	16
107820W	78	2000	31,61	16
107830W	78	3000	45,36	12
100902W	90	250	8,38	8
100905W	90	500	12,46	9
100910W	90	1000	21,66	9
100915W	90	1500	30,86	9
100920W	90	2000	39,05	9
100930W	90	3000	53,54	9
101102W	110	250	9,80	4
101105W	110	500	14,53	9
101110W	110	1000	23,97	9
101115W	110	1500	33,38	9
101120W	110	2000	42,84	9
101130W	110	3000	58,91	9
101302W	135	250	14,54	4
101305W	135	500	20,29	8
101310W	135	1000	36,72	8
101315W	135	1500	52,41	8
101320W	135	2000	71,45	8
101330W	135	3000	101,48	8
101602W	160	250	18,00	4
101605W	160	500	27,84	2
101610W	160	1000	47,08	4
101615W	160	1500	65,45	4
101620W	160	2000	85,06	4
101630W	160	3000	124,19	4
102002W	200	250	33,39	2
102005W	200	500	53,72	1
102010W	200	1000	80,04	4
102020W	200	2000	144,60	4
102030W	200	3000	211,12	4

RACCORDI FONOISOLANTI IN PPC + CARICHE RINFORZANTI
SOUNDPROOF FITTINGS IN PPC + REINFORCING CHARGES
RACCORDS PHONO-ISOLANTS EN PPC + CHARGES RENFORÇANTES
SCHALLDÄMMENDE FORMSTÜCKE AUS PPC + VERSTÄRKENDE FÜLLUNGEN
ACCESORIOS INSONORIZADOS DE PPC + CARGAS DE REFUERZO

- Curva HTB
- Bend HTB
- Courbe HTB
- Bogen HTB
- Codo HTB



CODEX	Ø	α	€	4
115815W	58	15°	9,4	4
115830W	58	30°	9,33	4
115845W	58	45°	8,84	4
115867W	58	67°30'	9,63	4
115887W	58	87°30'	9,36	4
117815W	78	15°	9,19	4
117830W	78	30°	9,33	4
117845W	78	45°	9,39	4
117867W	78	67°30'	10,58	4
117887W	78	87°30'	9,71	4
110915W	90	15°	12,26	4
110930W	90	30°	12,89	4
110945W	90	45°	12,01	4
110967W	90	67°30'	13,14	4
110987W	90	87°30'	12,75	4
111115W	110	15°	12,09	4
111130W	110	30°	12,41	4
111145W	110	45°	13,04	4
111167W	110	67°30'	13,25	4
111187W	110	87°30'	13,74	4
111315W	135	15°	20,42	4
111330W	135	30°	20,69	4
111345W	135	45°	19,15	4
111367W	135	67°30'	22,26	4
111387W	135	87°30'	21,35	4
111615W	160	15°	31,42	1
111630W	160	30°	31,42	1
111645W	160	45°	31,42	1
111667W	160	67°30'	34,81	1
111687W	160	87°30'	37,93	1
112045W	200	45°	109,69	1
112087W	200	87°30'	129,79	1

- Curva di ventilazione
- Ventilation bend
- Courbe de ventilation
- Belüftungskniestück
- Codo de ventilación



CODEX	Ø	€	4
591100W ●	110	62,41	4

PhoNoFire®

- Braga HTEA
- Branch HTEA
- Embranchement HTEA
- Abzweigung HTEA
- Derivación HTEA



CODEX	Ø1	Ø2	α	€	4
205858W	58-58	45°	17,71	4	
255858W	58-58	67°30'	17,47	4	
305858W	58-58	87°30'	18,66	4	
207858W	78-58	45°	16,25	4	
207878W	78-78	45°	17,58	4	
257858W	78-58	67°30'	17,47	4	
257878W	78-78	67°30'	17,26	4	
307858W	78-58	87°30'	16,25	4	
307878W	78-78	87°30'	17,58	4	
209058W	90-58	45°	20,74	4	
309058W	90-58	87°30'	20,74	4	
209090W	90-90	45°	20,83	4	
309090W	90-90	87°30'	20,83	4	
201158W	110-58	45°	20,22	4	
251158W	110-58	67°30'	19,83	4	
301158W	110-58	87°30'	20,22	4	
201178W	110-78	45°	21,98	4	
251178W	110-78	67°30'	23,59	4	
301178W	110-78	87°30'	23,94	4	
201111W	110-110	45°	24,05	4	
251111W	110-110	67°30'	24,19	4	
301111W	110-110	87°30'	24,05	4	
201311W	135-110	45°	36,61	4	
301311W	135-110	87°30'	36,61	4	
201313W	135-135	45°	43,96	4	
301313W	135-135	87°30'	46,19	4	
201611W	160-110	45°	59,05	1	
201616W	160-160	45°	90,22	1	
301616W	160-160	87°30'	109,87	1	
202016W	200-160	45°	138,13	1	
202020W	200-200	45°	160,92	1	

- Braga a flusso avanti
- Swept-entry branch
- Embranchement avec départ coudé
- Bogenabzweig
- Derivación directa



CODEX	Ø1	Ø2	€	4
221190W	110-90	24,31	4	
221111W	110-110	26,46	4	

N.B.: Le unità di vendita di PhoNoFire possono essere suscettibili di variazioni
The packaging units of PhoNoFire can vary
Les confectons de PhoNoFire peuvent changer
Die Verpackungen von PhoNoFire können ändern
Las unidades de venta de PhoNoFire pueden variar

● Prefabbricato • Prefabricated • Préfabriqué • Vorgefertigt • Prefabricado

PhoNoFire®

- Ispezione lineare HTRE
- Inspection tee HTRE
- Visite linéaire HTRE
- Linearinspektion HTRE
- Inspección lineal HTRE



CODEX	Ø	€	Icona
325858W	58	20,35	4
327878W	78	24,21	4
320909W	90	31,40	4
321111W	110	30,35	4
321313W	135	68,75	4
321616W	160	87,05	2

- Braga doppia HTDA
- Double branch HTDA
- Embranchement double HTDA
- Doppel-Abzweig HTDA
- Derivación doble HTDA



CODEX	Ø 1	Ø 2	α	€	Icona
381111W	110-110-110		87°30'	50,34	2

RACCORDI FONOISOLANTI IN PPC + CARICHE RINFORZANTI

SOUNDPROOF FITTINGS IN PPC + REINFORCING CHARGES
RACCORDS PHONO-ISOLANTS EN PPC + CHARGES RENFORÇANTES
SCHALLDÄMMENDE FORMSTÜCKE AUS PPC + VERSTÄRKENDE FÜLLUNGEN
ACCESORIOS INSONORIZADOS DE PPC + CARGAS DE REFUERZO

- Manicotto di collegamento PhoNoFire-PE/PP/PVC
- Fitting for PNF - PE/PP/PVC connection
- Raccord pour jonction PNF - PE/PP/PVC
- Formstück für PNF - PE/PP/PVC Verbindung
- Accesorio para junta PNF - PE/PP/PVC




CODEX	Ø 1	Ø 2	€	Icona
635805W	58/50		6,04	24
637807W	78/75		5,93	12
631312W	135/125		47,76	8

- Manicotto scorrevole HTU
- Sleeve HTU
- Manchon HTU
- Muffe HTU
- Manguito HTU



CODEX	Ø	€	Icona
405810W	58	6,26	4
407810W	78	6,45	4
400910W	90	8,23	4
401110W	110	8,64	4
401310W	135	12,85	4
401610W	160	21,29	4
402010W	200	86,03	1

- Manicotto con battente HTMM
- Sleeve with shutter HTMM
- Manchon à volet HTMM
- Muffe mit Schieber HTMM
- Manguito con aleta HTMM



CODEX	Ø	€	Icona
405820W	58	6,26	4
407820W	78	6,45	4
400920W	90	8,23	4
401120W	110	8,64	4
401320W	135	14,00	4
401620W	160	21,29	4

N.B.: Le unità di vendita di PhoNoFire possono essere suscettibili di variazioni
The packaging units of PhoNoFire can vary
Les confections de PhoNoFire peuvent changer
Die Verpackungen von PhoNoFire können ändern
Las unidades de venta de PhoNoFire pueden variar

08/2012

RACCORDI FONOISOLANTI IN PPC + CARICHE RINFORZANTI

SOUNDPROOF FITTINGS IN PPC + REINFORCING CHARGES
RACCORDS PHONO-ISOLANTS EN PPC + CHARGES RENFORCANTES
SCHALLDÄMMENDE FORMSTÜCKE AUS PPC + VERSTÄRKENDE FÜLLUNGEN
ACCESORIOS INSONORIZADOS DE PPC + CARGAS DE REFUERZO

PhoNoFire®

- Aumento HTR
- Increase HTR
- Augmentation HTR
- Erweiterung HTR
- Alargadera HTR



CODEX	Ø1	Ø2	€	
155878W	58-78		7,07	4
155809W	58-90		9,85	4
155811W	58-110		9,14	4
157809W	78-90		10,26	4
157811W	78-110		9,26	4
150911W	90-110		10,98	4
151113W	110-135		15,35	4
151116W	110-160		19,83	1
151316W	135-160		22,28	1
151620W	160-200		103,44	1

- Manicotto di collegamento PE/PP - PhoNoFire
- Fitting for PE/PP - PNF connection
- Raccord pour jonction PE/PP - PNF
- Formstück für PE/PP - PNF Verbindung
- Accesorio para junta PE/PP - PNF



CODEX	Ø1	Ø2	€	
625804W	40/58		6,29	80
625805W	50/58		7,11	24
627805W	50/78		11,21	36
627807W	75/78		12,41	48
621312W	125/135		23,23	8

- Tappo di chiusura HTM
- Closing plug HTM
- Bouchon de fermeture HTM
- Verschlussstopfen HTM
- Tapón de cierre HTM



CODEX	Ø	€	
395800W	58	4,95	4
397800W	78	7,13	4
390900W	90	8,86	4
391100W	110	10,62	4
391300W	135	15,61	4
391600W	160	18,36	1

PhoNoFire®

- Manicotto tagliafuoco per pareti REI 120-180, solai REI 180
- Fire barrier coupling for REI 120-180 walls and REI 180 floors
- Manchon coupe-feu pour parois REI 120-180, planchers REI 180
- Brandschutzmuffe für Wände REI 120-180, Decken REI 180
- Manguito cortafuego para paredes REI 120-180 y losas REI 180



CODEX	Ø	€	Icona
F06MT0501	50	(1)	1
F06MT0601	63	(1)	1
F06MT0701	75	(1)	1
F06MT0901	90	(1)	1
F06MT1101	110	(1)	1
F06MT1201	125	(1)	1
F06MT1601	160	(1)	1
F06MT2001	200	(1)	1

- Guarnizione monolabbro
- Mono-lip seal
- Joint mono lèvres
- Monolippige Dichtung
- Guarnición mono-labio



CODEX	Ø	€	Icona
C0003220	32	(2)	10
C0004020	40	(2)	10
C0005020	50	(2)	10
C0005820	58	(2)	10
C0007520	75	(2)	10
C0007820	78	(2)	10
C0009020	90	(2)	10
C0011020	110	(2)	10
C0012520	125	(2)	10
C0013520	135	(2)	10
C0016020	160	(2)	10
C0020020	200	(2)	10
C0025020	250	(2)	10

Nota: ricambio solo per tubi • Note: spare part for pipes only • Note: rechange seulement pour tubes • Kennz.: Ersatzteil nur für Rohre • Nota: recambio sólo para tubos

(1) Consultare listino prezzi "Coestilen" pag. 17-18 • See the "Coestilen" price list pag. 17-18 • Consulter le tarif "Coestilen" pag. 17-18 • Siehe Preisliste "Coestilen" pag. 17-18 • Consultar la tarifa "Coestilen" pag. 17-18

(2) Consultare listino prezzi "Coesprenne" pag. 33 • See the "Coesprenne" price list pag. 33 • Consulter le tarif "Coesprenne" pag. 33 • Siehe Preisliste "Coesprenne" pag. 33 • Consultar la tarifa "Coesprenne" pag. 33

ACCESSORI

ACCESSORIES
ACCESSOIRES
ZUBEHÖR
ACCESORIOS

- Bracciale in acciaio zincato con dado filettato M10
- Galvanized steel bracket with M10 threaded nut
- Manchon en acier galvanisé avec écrou fileté M10
- Manschette aus verzinktem Stahl mit Gewindemutter M10
- Abrazadera de acero zincado con tuercas rosca M10



CODEX	Ø	€	Icona
F06FB0401	40	(1)	150
F06FB0501	50	(1)	100
F06FB5601	56	(1)	50
F06FB0601	63	(1)	50
F06FB0701	75	(1)	80
F06FB0901	90	(1)	50
F06FB1101	110	(1)	40
F06FB1201	125	(1)	30
F06FB1601	160	(1)	25
F06FB2001	200	(1)	5
F06FB2501	250	(1)	5
F06FB3101	315	(1)	1

- Collare di fissaggio insonorizzato, con dado filettato
- Soundproof band with threaded nut
- Manchon insonorisé avec écrou fileté
- Schalldicht-Manchette mit Gewindemutter
- Abrazadera insonorizada con tuercas rosca



CODEX	Ø	FIL.	€	Icona
560300	32	M10	(3)	15
560400	40	M10	(3)	15
560500	50	M10	(3)	15
565800	58	M10	(3)	15
560630	63	M10	(3)	15
560700	75-78	M10	(3)	15
560900	90	M10	(3)	15
561100	110	M14	(3)	10
561200	125	M14	(3)	10
561300	135	M10	(3)	10
561600	160	M14	(3)	5
562000	200	M14	(3)	5
562500	250	M14	(3)	5

- Collare di fissaggio insonorizzato, con barra filettata
- Soundproof band with threaded rod
- Manchon insonorisé avec barre fileté
- Schalldicht-Manchette mit Gewindestange
- Abrazadera insonorizada con barra rosca



CODEX	Ø	FIL.	€	Icona
590400	40	M10	(3)	15
590500	50	M10	(3)	15
590600	63	M10	(3)	15
590700	75-78	M10	(3)	15
590900	90	M10	(3)	15
591100	110	M14	(3)	10
591200	125	M14	(3)	10
591600	160	M14	(3)	5

(3) Consultare listino prezzi "BluePower" pag. 41 • See the "BluePower" price list pag. 41 • Consulter le tarif "BluePower" pag. 41 • Siehe Preisliste "BluePower" pag. 41 • Consultar la tarifa "BluePower" pag. 41